Content available at: <https://www.ipinnovative.com/open-access-journals>

International Journal of Pharmaceutical Chemistry and Analysis

Journal homepage: <https://www.ijpca.org/>

Original Research Article

Fabrication of zero-valent iron nanoparticles by green and chemical reduction methods: Application in the field of antibacterial activities for medicinal point of view

Manish Srivastava^{1,*}, Preeti Tomer¹, Anamika Srivastava¹, Bharti¹, Swapnil Sharma²

¹Dept. of Chemistry, Banasthali Vidyapith, Vanasthali, Rajasthan, India

²Dept. of Pharmacy, Banasthali Vidyapith, Vanasthali, Rajasthan, India

ARTICLE INFO

Article history:

Received 17-08-2021

Accepted 24-09-2021

Available online 22-10-2021

Keywords:

Iron nanoparticles

Antibacterial study

Green synthesis and a natural binder

ABSTRACT

In the area of life sciences, iron nanoparticles (Fe NPs) have many applications. In this paper, the unique properties of iron nanoparticles as antimicrobials are studied. In this study, nanoparticles of iron have been fabricated by green and chemical reduction method. With the help of FESEM analysis and Zeta size analysis, the usual value of nanoparticles was found to be 10-30 nm in size. Furthermore, the prepared nanoparticles were examined for antibacterial perspective aligned with gram-positive and negative strains namely *Staphylococcus aureus* & *Bacillus subtilis* and *Escherichia coli*, using agar plate method and IC₅₀ was also estimated using tube dilution assay.

This is an Open Access (OA) journal, and articles are distributed under the terms of the [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License](#), which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

For reprints contact: reprint@ipinnovative.com

1. Introduction

Nanotechnology is an extremely convincing technology with its approaching medical properties in early disease detection and treatment. At present, there is a growing concern in the research of nano-metals as these signify an intermediate dimension between atoms/molecules and bulk particles.¹ Among metal nanoparticles, iron oxide has received more attention because of its variety of scientific and technological applications such as antimicrobial activity², biosensor³, food preservation⁴, ferrofluids, magnetic resonance imaging, magnetic refrigeration, magnetic storage media, cell sorting, targeted drug delivery, and hyperthermia cancer treatments.⁵⁻⁷

The size of nanoparticles makes them an attractive applicant for in vivo and in vitro biomedical research. The incorporation of nanoparticles in the medical field has led to their special use in the field of sensing, drug

delivery, imaging, and artificial implants. An interesting new approach for their investigation in the medical field is their application in antimicrobial activities that aim at drug-resistant and highly pathogenic microbes.⁸

There is also an increasing interest in the application of Iron and other metal nanoparticles in blood platelet sanitization. Ag⁺ ions may slow down some imperative transport processes such as succinate and phosphate uptake, by contacting the cellular oxidation process in the respiratory string. The high absorption of Ag⁺ not only causes toxicity but may also lead to electrolyte imbalances in patients.⁹

In recent research, it has been shown that the better antibacterial properties of iron nanoparticles (Fe NPs) are dependent upon the high surface area and high volume of nanoparticles that allow proficient bacterial disinfection.^{10,11} Iron nanoparticles (Fe NPs) have a larger surface area compared to silver so that they possess better antimicrobial properties as compared to Ag⁺ ions.¹²⁻¹⁵ Despite this, in an aqueous solution zero-valent iron

* Corresponding author.

E-mail address: sagermanish1@gmail.com (M. Srivastava).

nanoparticles (Fe NPs) can inactivate *E. coli*. Which increases the interest of iron nanoparticles in antimicrobial activity. In the deficiency of oxygen, iron nanoparticles (Fe NPs) show high antimicrobial activity analogous to that of silver nanoparticles (Ag NPs). The strong antibacterial activity of iron nanoparticles (Fe NPs) implies that Fe NPs can serve as a cost-effective biocide for many of the applications in which silver is being used.¹⁶ In the case of antibacterial activity, iron nanoparticles (Fe NPs) involve the release of Fe ions on the biological obligatory site that hold upon to the surface of the targeted atom and developed a bacterial interaction with the NPs that starts from the surface layer.^{17–19}

2. Materials and Methods

2.1. Green method

2.1.1. Fabrication of Fe NPs using *S. oleracea* aqueous leaf extract

Fe NPs were fabricated by using fresh leaves of *S. oleracea* extract as a reducing agent. For the fabrication of Fe NPs, fresh leaves of *S. oleracea* were washed, dried at room temperature, and cut into small pieces. Dried-out leaves are crushed into powdered form and from which 4g was mixed in 50 ml of double distilled water and then boiled for 15 min at 100°C. Filter the extract and stored it at 4°C. Furthermore, 10ml of *S. oleracea* extract was added into 10ml aqueous solution of 1.0 mM ferric chloride. The mixture was boiled for about half an hour and after which black color was observed, representing the fabrication of Fe NPs.²⁰

2.2. Chemical reduction method

2.2.1. Fabrication of Fe NPs using NaBH₄ as reducing agent

In a three-neck, round-bottom flask 0.1M FeCl₃·6H₂O (4.1703 g) and 0.05M EDTA (3.7224 g) were mixed in 100 ml Milli-Q water by using appropriate mixing. Then the solution of NaBH₄ (0.75M NaBH₄ (2.837 g) in 100 ml Milli-Q water) was added dropwise into the above solution. Slowly the solution changed to black color.^{21–23}

3. Results and Discussion

3.1. Characterization of Fe NPs

3.1.1. Analysis by ultraviolet-Visible spectra

An ultraviolet-Visible spectrum is an effectual technique that illustrates the development of varieties of metals in the creation of colloidal M NPs. As exposed in Fig. 1a the optical absorbance Plasmon band of the Fe NPs using *S. oleracea* extract in the colloidal suspension is about 267 & 229. In the case of optical absorbance Plasmon band of Fe NPs using chelating Agents (EDTA) Fig-1b in the colloidal

suspension is about 273 & 224. In both cases, the black color appeared due to the formation of Fe NPs.

Fig. 1: (a) UV-Vis spectrum of Fe NPs using *Spinacia oleracea* extracts (b) using chelating Agents (EDTA)

3.1.2. Zeta size measurement

The zeta potential value (21.9) shows the stability of Fe NPs using *S. oleracea* extract and confirms the size of Fe NPs particles to be 80.37(d. nm). On the other hand, the zeta potential value (-21.2) of Fe NPs using classical reduction method with EDTA and found the size of Fe NPs to be 51.37 (d. nm) (Fig- 2: A&B).

Fig. 2: Zeta size and zeta potential of Fe NPs a.using *Spinacia oleracea* extract, b. using chelating agents (EDTA)

3.1.3. XRD of Fe NPs by chemical reduction and green method

The aqueous solution of Fe NPs was frequently centrifuged at 10,000 rpm for 30 min, redispersed with distilled water, and lyophilized to get pure Fe NPs pellets. The Debye-Scherrer principle has been used to evaluate the standard particle size that could be understood as:

$$D = 0.9\lambda / \beta \cos\theta$$

An average dimension of Fe NPs was found in the green method is 55.18 nm and in the chemical reduction method 23.84 nm by XRD methods. (Fig-3: A&B)

Fig. 3: RD spectrum of Fe NPs -A (green) & B (chemical reduction) method

3.1.4. EDX of Fe NPs by chemical reduction and green method

EDX is Energy Dispersive X-Rays (aka EDAX - energy dispersive x-ray analysis) and is reliant on the atomic mass of the elements being detected. In the fabrication of Fe NPs in the chemical reduction method the wt% value of Fe is 31.7, O is 25.3 and Cl is 0.7 and in the case of the green method the wt% value of Fe is 30.9, O is 16.2 and Cl is 2.7. The peak of Fe presents in the spectrum shows the fabrication of Fe NPs.

Fig. 4: EDX spectrum of Fe NPs A. using NaBH_4 as reducing agent, B using *Spinacia oleracea* extracts

3.1.5. FE SEM analysis of Fe NPs

The FE SEM image shows that the size of industrial Fe NPs was found to be around 50-60 nm using *S. oleracea* extract confirms the size of Fe NPs particles to be 51.22 (d. nm). On the other hand, the Fe NPs using the classical reduction method with EDTA was found to be 47.97(d. nm) (Fig-5)

Fig. 5: (a) SEM image of Fe NPs using chelating agents (EDTA), b. using *Spinacia oleracea* extract

3.2. In-vitro antibacterial studies of nanoparticles

The iron nanoparticles produced by the liquid phase reduction technique were subjected to the in-vitro antibacterial activity of iron nanoparticles aligned with gram-negative (*E. coli*) and gram-positive (*S. aureus* and *B. subtilis*) respectively. Iron nanoparticles showed excellent and dose-dependent activity when compared to a standard antibiotic. The effects obtained after 24h incubation are presented in table 1 and fig6. Test compound the highest region of prohibition at $500\mu\text{g/mL}$ was 21 ± 0.64 mm as compared to standard ampicillin.

Table 1: The results of inhibitory antibacterial activity of iron nanoparticles against different bacteria

Test compound	Zone of inhibition (mm)		
	<i>E. coli</i>	<i>S. aureus</i>	<i>B. subtilis</i>
Ampicillin (Standard) (80 $\mu\text{g/mL}$)	20 ± 0.56	15 ± 0.23	18 ± 0.85
200 $\mu\text{g/mL}$	12 ± 0.54	13 ± 0.47	14 ± 0.76
300 $\mu\text{g/mL}$	16 ± 0.36	15 ± 0.22	15 ± 0.51
400 $\mu\text{g/mL}$	18 ± 0.76	17 ± 0.61	17 ± 0.33
500 $\mu\text{g/mL}$	19 ± 0.47	20 ± 0.72	21 ± 0.64

Fig. 6: Zone of inhibition of test compound and standard against three different bacterial strains as compared to standard antibiotic at concentration ($80\mu\text{g/mL}$) (A₁) *E. coli* control;(A₂) Treated nanoparticles (300 & 350 $\mu\text{g/mL}$) on *E. coli*; (B₁) *S. aureus* control; (B₂) Treated nanoparticles (200 & 300 $\mu\text{g/mL}$) on *S. aureus*; (C₁) *B. subtilis* control; (C₂) Treated nanoparticles (400 $\mu\text{g/mL}$) on *B. subtilis*.

3.2.1. Tube dilution assay

In tube dilution assay, prepared nanoparticles showed significant antibacterial activities against targeted bacterial strains. IC_{50} of test compound was found to be 350 $\mu\text{g/mL}$, 300 $\mu\text{g/mL}$, and 400 $\mu\text{g/mL}$ against bacterial strains compared with IC_{50} of standard ampicillin was found to be 40 $\mu\text{g/mL}$, 50 $\mu\text{g/mL}$, and 50 $\mu\text{g/mL}$ against pathogenic *E. coli*, *S. aureus* and *B. subtilis* respectively (Fig. 2a & 2b). Test compounds have shown better activities against *B. subtilis* and it was observed that it showed maximum ZOI and minimum IC_{50} (300 $\mu\text{g/mL}$) in both in vitro models. It indicates that it can be useful in the management of various *B. subtilis* mediated infections. The results of biological activity are revealed that iron nanoparticles found active against both strains but slightly better against gram-positive

strains. The findings of the study were found in agreement with previously published reports (Behera et al. 2012).

Fig. 7: Statistical significance was assessed by ANOVA test and compared with control ($p < 0.0001$) which denoted as (***) and ($p > 0.05$) which denoted as (*).

4. Conclusion

Today, iron nanoparticles' production with the help of plant materials or in an eco-friendly manner is considered attractive. The attrition of metallic ions into base metals by the biological method is a rapid and more efficient method than conventional methods. This method is eco-friendly and can be conducted willingly at room temperature and is also amplified easily. The reducing agents drawn in contain various water-soluble metabolites and coenzymes. The reward of holding green methods for nanoparticle amalgamation has increased the demand and the curiosity of analyzers to examine the procedures for uptake of metal ions and biological reducing methods by plants. Moreover, green synthesis generates nanoparticles that are highly stable and have narrow size distribution with high discrepancy.

5. Source of Funding

None.

6. Conflict of Interest

None.

References

1. Iglesias S, Rivas J, Isidro LML, L-Quintela MA. Synthesis of Silver-Coated Magnetic Nanoparticles. *J Non-Crystal Solids*. 2007;353(8-10):829–31. doi:10.1016/j.jnoncrysol.2006.12.050.
2. Berry CC, Curtis ASG. Functionalisation of Magnetic Nanoparticles for Applications in Biomedicine. *J Phys D: Appl Physics*. 2003;36(13):198–206.
3. Babes L, Denizot B, Tanguy G, Jeune J, Jallet P. Synthesis of Iron Oxide Nanoparticles Used as MRI Contrast Agents: A Parametric Study. *J Colloid Interface Sci*. 1999;212(2):474–82. doi:10.1006/jcis.1998.6053.
4. Chan DCF, Kirpotin DB, Bunn PA. Synthesis and Evaluation of Colloidal Magnetic Iron Oxides for the Site-Specific Radio Frequency Induced Hyperthermia of Cancer. *J Magnetism Magn Mater*. 1993;122(1):374–8. doi:10.1016/0304-8853(93)91113-L.
5. B-Tan RGH, Engelshoven JMA, Greve JWM. Hepatic Adenoma and Focal Nodular Hyperplasia: MR Findings with Superparamagnetic Iron Oxide- enhanced MRI. *Clin Imaging*. 1998;22(3):211–5.

- doi:10.1016/s0899-7071(97)00117-4.
6. Gupta AK, Gupta M. Synthesis and Surface Engineering of Iron Oxide Nanoparticles for Biomedical Applications. *Biomaterials*. 2005;26(18):3995–4021. doi:10.1016/j.biomaterials.2004.10.012.
7. Lida H, Takayanagi K, Nakanishi T, Osaka T. Synthesis of Fe₃O₄ Nanoparticles with Various Sizes and Magnetic Properties by Controlled Hydrolysis. *J Colloid Interface Sci*. 2007;314(1):274–80. doi:10.1016/j.jcis.2007.05.047.
8. Samia ACS, Dayal S, Burda C. Quantum dot-based energy transfer: Perspectives and potential for applications in photodynamic therapy. *Photochemistry Photobiology*. 2006;82(3):617–25. doi:10.1562/2005-05-11-IR-525.
9. Lee HJ, Yeo SY, Jeong SH. Antibacterial effect of nanosized silver colloidal solution on textile fabrics. *J Mater Sci*. 2003;38:2199–2204.
10. Morones JR, Elechiguerra JL, Camacho K, Holt JB, Kouri JT, Ramírez MJ, et al. The bactericidal effect of silver nanoparticles. *Nanotechnology*. 2005;16:2346–53.
11. Baker C, Pradhan A, Pakstis L, Pochan DJ, Shah SI. Synthesis and antibacterial properties of silver nanoparticles. *J Nanosci Nanotechnol*. 2005;5(2):244–9. doi:10.1166/jnn.2005.034.
12. Tolaymat TM, Badawy AM, Genaidy K, Scheckel TP, Luxton M, Suidan. An evidence-based environmental perspective of manufactured silver nanoparticle in syntheses and applications: a systematic review and critical appraisal of peer-reviewed scientific papers. *Sci Total Environ*. 2010;408(5):999–1006. doi:10.1016/j.scitotenv.2009.11.003.
13. Lee D, Cohen RE, Rubner M. Antibacterial Properties of Ag Nanoparticle Loaded Multilayers and Formation of Magnetically Directed Antibacterial Microparticles. *Langmuir*. 2005;21(21):9651–9. doi:10.1021/la0513306.
14. Yoon KY, Byeon JH, Park JH, Hwang J. Susceptibility constants of Escherichia coli and Bacillus subtilis to silver and copper nanoparticles. *Sci Total Environ*. 2007;373(2-3):572–5. doi:10.1016/j.scitotenv.2006.11.007.
15. Chopra IJ. The increasing use of silver-based products as antimicrobial agents: a useful development or a cause for concern? *J Antimicrob Chemother*. 2007;59(4):587–90. doi:10.1093/jac/dkm006.
16. Rana S, Kalaichelvan P. Anti-bacterial activities of metal nanoparticles. *Adv Biotech*. 2011;2(11):21–3.
17. Egger S, Lehmann RP, Height M, Loessner MJ, Schuppler M. Antimicrobial Properties of a Novel Silver-Silica Nanocomposite Material. *Appl Environ Microbiol*. 2009;75(9):2973–6. doi:10.1128/AEM.01658-08.
18. Panacek A, Kvitek L, Prucek R, Kolar M, Vecerova R, Pizurova N, et al. Silver colloid nanoparticles: synthesis, characterization, and their antibacterial activity. *J Phys Chem B*. 2006;110(33):16248–53. doi:10.1021/jp063826h.
19. Sharma VK, Yngard RA, Lin Y. *Adv Colloid Interface Sci*. 2009;145:83–96.
20. Eftekhari KK, Mehraj S, Tarigopula MP. *Int J Plant*. 2015;5(1).
21. Murad B, Mandal K, Kesarla KMK, Kumar PSS, Allabaksh B. Preparation of Stable Zero Valent Iron Nanoparticles using Different Chelating Agents. *J Chem Pharm Res*. 2010;2(5):67–74.
22. Pandey B, Ghimire P, Agrawal VP. Studies on the antibacterial activity of actinomycetes isolated from Khumbu region of Mount Everest. *J App Microbiol*. 2004;20:45–54.
23. Gebreyohannes G, Moges F, Sahile S, Raja N. *Asian Pac J Trop Biomed*;2013(6):60092–3. doi:10.1016/S2221-1691(13)60092-1.

Author biography

Manish Srivastava, Assistant Professor

Preeti Tomer, Research Scholar

Anamika Srivastava, Assistant Professor

Bharti, Research Scholar

Swapnil Sharma, Associate Professor

Cite this article: Srivastava M, Tomer P, Srivastava A, Bharti, Sharma S. Fabrication of zero-valent iron nanoparticles by green and chemical reduction methods: Application in the field of antibacterial activities for medicinal point of view. *Int J Pharm Chem Anal* 2021;8(3):118-122.